IChemE

www.icheme.org/psep
doi: 10.1205/psep.in.0606

0957–5820/06/$30.00+0.00
© 2006 Institution of Chemical Engineers
Trans IChemE, Part B, November 2006
Process Safety and Environmental Protection, 84(B6): 493–498

INDEX TO VOLUME 84 (PART B) 2006

AUTHORS AND PAPERS

A
Abbasi, S.A. (see Sarkar, C.) 355
Ablitzer, D. (see Ménard, Y.) 290
Al-Hamamre, Z., Diezinger, S., Talukdar, P., von Issendorff, F. and Trimis, D., Combustion of low calorific gases from landfills and waste pyrolysis using porous medium burner technology 297
Alghaffar, M.A. (see Thomas, P.J.) 329, 337, 344
Amellal, N. (see Schmidt, J.E.) 253
Amyotte, P.R. (see Pula, R.) 79
Ang, M. (see Li, Q.) 237
Anjoh, N. (see Kawasaki, S.-I.) 317
Arai, K. (see Kawasaki, S.-I.) 317
Arlabosse, P. (see Peregrina, C.A.) 270
Asthana, A. (see Ménard, Y.) 290
Attwood, D., Khan, F.I. and Veitch, B., Can we predict occupational accident frequency? 208
Aydogan, C. (see Li, Q.) 237
Ayuso, S. (see Schmidt, J.E.) 253

B
Bandyopadhyay, A. and Biswas, M.N., Fly-ash scrubbing in a tapered bubble column scrubber 54
Bao, W.R., Chang, L.P. and Lu, Y.K., Study on main factors influencing acetylene formation during coal pyrolysis in arc plasma 222
Baron, M. (see Kano, J.) 309
Batstone, D.J. (see Schmidt, J.E.) 253
Bhattacharya, S.P., Gasification performance of Australian lignites in a pressurized fluidized bed gasifier process development unit under air and oxygen-enriched air blown conditions 453
Biswas, M.N. (see Bandyopadhyay, A.) 54
Bougrier, C., Delgenès, J.-P. and Carrère, H., Combination of thermal treatments and anaerobic digestion to reduce sewage sludge quantity and improve biogas yield 280
Bournonville, B., Nzihou, A., Sharrock, P. and Depelsenaire, G., Stabilization of minerals by reaction with phosphoric acid: evolution of model compounds 117
Brennan, D.J. (see May, J.R.) 131

C
Camacho, P. (see Paul, E.) 247
Carrère, H. (see Bougrier, C.) 280
Castro, J. (see Dalijono, T.) 191
Chang, C.H. (see Park, N.-K.) 461
Chang, L.-P., Xie, Z.-L. and Xie, K.-C., Study on the formation of NH_3 and HCN during the gasification of brown coal in steam 446
Chang, L.P. (see Bao, W.R.) 222
Chen, H. (see Chu, X.) 440
Chetouani, Y., Fault detection in a chemical reactor by using the standardized innovation 27
Chetouani, Y., Application of the generalized likelihood ratio test for detecting changes in a chemical reactor 371
Christensen, N. (see Schmidt, J.E.) 253
Chu, X., Li, W., Li, B. and Chen, H., Gasification property of direct coal liquefaction residue with steam 440
Conlin, H. and O'Meara, J., Assessing Longford gas plant 1 staffng arrangements 10
Cox, S. and Jones, B., Behavioural safety and accident prevention: short-term 'fad' or sustainable 'fix'? 164

D
Dalijono, T., Castro, J., Löwe, K. and Löhrer, H.-J., Reducing human error by improvement of design and organization 191
Delgènes, J.-P. (see Bougrier, C.) 280
Depelsenaire, G. (see Bournonville, B.) 117
Diezinger, S. (see Al-Hamamre, Z.) 297
Diniz da Costa, J.C. (see Joyce, J.) 429
Diniz da Costa, J.C. and Pagan, R.J., Sustainability metrics for coal power generation in Australia 143
Dix, M.J. (see Richardson, S.M.) 40
Dixon, T. (see Joyce, J.) 429

E
Edwards, D.W. (see Hassim, M.H.) 378
Emery, R.J. (see Stapleton, D.R.) 313
Ettouney, R.S., Implosion of a large crystallizer vessel 21

F
Faur, C. (see Rio, S.) 258
Fischer, U. (see Sugiyama, H.) 63
Fisher, S.A. (see Richardson, S.M.) 40
Foord, A.G. and Gulland, W.G., Can technology eliminate human error? 171
Franks, A.P. and Maddison, T., A simplified method for the estimation of individual risk 101

G
Gao, J. (see Wu, S.) 420
Garcia, K. (see Schmidt, J.E.) 253
Gavala, H.N. (see Koutrouli, E.C.) 285
Ginestet, P. (see Paul, E.) 247
Gitahi Kariuki, S. and Löwe, K., Increasing human reliability in the chemical process industry using human factors techniques 200
Gu, J. (see Wu, S.) 420
Gulland, W.G. (see Foord, A.G.) 171

H
Han, G.B. (see Kim, E.J.) 469
Han, G.B. (see Park, N.-K.) 461
Harris, B. (see Li, Q.) 237
Hassim, M.H. and Edwards, D.W., Development of a methodology for assessing inherent occupational health hazards 378
Hayashi, J.-I., Hosokai, S. and Sonoyama, N., Gasification of low-rank solid fuels with thermochemical energy recuperation for hydrogen production and power generation 409
Hendershot, D.C., Lessons from human error incidents in process plants 174
Hirao, M. (see Sugiyama, H.) 63
Hosokai, S. (see Hayashi, J.-I.) 409
Huang, Y. (see Uygun, K.) 92
Hungerbühler, K. (see Sugiyama, H.) 63

J
Jones, B. (see Cox, S.) 164
Joyce, J., Dixon, T. and Diniz da Costa, J.C., Characterization of sugar cane waste biomass derived chars from pressurized gasification 429

K
Kano, J., Zhang, Q., Saito, F., Baron, M. and Nzihou, A., Synthesis of hydroxyapatite with the mechanochemical treatment products of PVC and CaO 309
Kawasaki, S.-I., Oe, T., Anjoh, N., Nakamori, T., Suzuki, A. and Arai, K., Practical supercritical water reactor for destruction of high concentration polychlorinated biphenyls (PCB) and dioxin waste streams 317
Khan, F.I. (see Attwood, D.) 208
Khan, F.I. (see Pula, R.) 79

Kim, E.J., Park, N.-K., Han, G.B., Ryu, S.O. and Lee, T.J., A reactivity test of Cu–Zn-based catalysts prepared wth various precursors and precipitates for the direct synthesis of DME 469
Kornaros, M. (see Schmidt, J.E.) 253
Koutrouli, E.C., Gavala, H.N., Skiadas, I.V. and Lyberatos, G., Mesophilic biohydrogen production from olive pulp 285
Kwon, B.C. (see Park, N.-K.) 461

L
Lardner, R. and Scaife, R., Helping engineers to analyse and influence the human factors in accidents at work 179
Le Cloirec, P. (see Rio, S.) 258
Le Coq, L. (see Rio, S.) 258
Lecomte, D. (see Peregrina, C.A.) 270
Lecomte, D. (see Rio, S.) 258
Lee, T.J. (see Kim, E.J.) 469
Lee, T.J. (see Park, N.-K.) 461
Li, B. (see Chu, X.) 440
Li, C.-Z. (see Yu, J.) 125
Li, L. (see Wu, S.) 420
Li, Q., Harris, B., Aydogan, C., Ang, M. and Tade, M., Feasibility of recharging reclaimed wastewater to the coastal aquifers of Perth, Western Australia 237
Li, W. (see Chu, X.) 440
Löher, H.-J. (see Dalijono, T.) 191
Lou, H.H. (see Uygun, K.) 92
Löwe, K. (see Dalijono, T.) 191
Löwe, K. (see Gitahi Kariuki, S.) 200
Lu, Y.K. (see Bao, W.R.) 222
Lulic, S. (see Orescanin, V.) 265
Lyberatos, G. (see Koutrouli, E.C.) 285
Lyberatos, G. (see Schmidt, J.E.) 253

M
McKenzie, L.J. (see Yu, J.) 125
Maddison, T. (see Franks, A.P.) 101
Makarov, D.V. (see Molkov, V.V.) 33
Mannan, M.S. (see Vidal, M.) 1
Mantzavinos, D. (see Stapleton, D.R.) 313
Manuele, F.A., Achieving risk reduction, effectively 184
May, J.R. and Brennan, D.J., Sustainability assessment of Australian electricity generation 131
Ménard, Y., Asthana, A., Patisson, F., Sessiecq, Ph. and Ablitzer, D., Thermodynamic study of heavy metals behaviour during municipal waste incineration 290
Mendivil, R. (see Sugiyama, H.) 63
Meredith, A.J. (see Richardson, S.M.) 40
Metzger, L. (see Schmidt, J.E.) 253
Mikelic, L. (see Orescanin, V.) 265
Mikulic, N. (see Orescanin, V.) 265
Molkov, V.V. and Makarov, D.V., Rethinking the physics of a large-scale vented explosion and its mitigation 33

N
Nad, K. (see Orescanin, V.) 265
Nakamori, T. (see Kawasaki, S.-I.) 317
Nzihou, A. (see Bournonville, B.) 117
Nzihou, A. (see Kano, J.) 309

O
Oe, T. (see Kawasaki, S.-I.) 317
O'Meara, J. (see Conlin, H.) 10
Orescanin, V., Nad, K., Mikelic, L., Mikulic, N. and Lulic, S., Utilization of bauxite slag for the purification of industrial wastewaters 265
Ozturk, B. and Yilmaz, D., Absorptive removal of volatile organic compounds from flue gas streams 391

P
Pagan, R.J. (see Diniz da Costa, J.C.) 143
Papadaki, M. (see Stapleton, D.R.) 313
Park, N.-K., Kwon, B.C., Han, G.B., Ryu, S.O., Lee, T.J. and Chang, C.H., Optimization of operating conditions for the catalytic reduction of SO_2 produced from regeneration process in hot gas desulphurization 461
Park, N.-K. (see Kim, E.J.) 469
Patisson, F. (see Ménard, Y.) 290
Patureau, D. (see Schmidt, J.E.) 253
Paul, E., Camacho, P., Sperandio, M. and Ginestet, P., Technical and economical evaluation of a thermal, and two oxidative techniques for the reduction of excess sludge production 247
Peregrina, C.A., Lecomte, D., Arlabosse, P. and Rudolph, V., Life cycle assessment (LCA) applied to the design of an innovative drying process for sewage sludge 270
Pula, R., Khan, F.I., Veitch, B. and Amyotte, P.R., A grid based approach for fire and explosion consequence analysis 79

R
Richardson, S.M., Saville, G., Fisher, S.A., Meredith, A.J. and Dix, M.J., Experimental determination of two-phase flow rates of hydrocarbons through restrictions 40
Rio, S., Le Coq, L., Faur, C., Lecomte, D. and Le Cloirec, P., Preparation of adsorbents from sewage sludge by steam activation for industrial emission treatment 258
Rogers, W.J. (see Vidal, M.) 1
Rudolph, V. (see Peregrina, C.A.) 270
Ryu, S.O. (see Kim, E.J.) 469
Ryu, S.O. (see Park, N.-K.) 461

S
Saito, F. (see Kano, J.) 309
Sarkar, C. and Abbasi, S.A., Enhancing the accuracy of forecasting impact of accidents in chemical process industry by the application of cellular automata technique 355
Saville, G. (see Richardson, S.M.) 40
Scaife, R. (see Lardner, R.) 179
Schmidt, J.E., Christensen, N., Batstone, D.J., Trably, E., Lyberatos, G., Stamatelatou, K., Kornaros, M., Metzger, L., Amellal, N., Watson, J., García, K., Ayuso, S. and Patureau, D., Safe recycling of sewage sludge on agricultural land—biowaste 253
Sessiecq, Ph. (see Ménard, Y.) 290
Sharrock, P. (see Bournonville, B.) 117
Skiadas, I.V. (see Koutrouli, E.C.) 285
Snape, I. (see Woinarski, A.Z.) 109
Sonoyama, N. (see Hayashi, J.-I.) 409
Sperandio, M. (see Paul, E.) 247
Stamatelatou, K. (see Schmidt, J.E.) 253
Stapleton, D.R., Emery, R.J., Mantzavinos, D. and Papadaki, M., Photolytic destruction of halogenated pyridines in wastewaters 313
Stevens, G.W. (see Woinarski, A.Z.) 109
Stupples, D.W. (see Thomas, P.J.) 329, 337, 344
Sugiyama, H., Hirao, M., Mendivil, R. Fischer, U. and Hungerbühler, K., A Hierarchical activity model of chemical process design based on life cycle assessment 63
Suzuki, A. (see Kawasaki, S.-I.) 317

T
Tade, M. (see Li, Q.) 237
Talukdar, P. (see Al-Hamamre, Z.) 297
Thomas, P.J., Stupples, D.W. and Alghaffar, M.A., The extent of regulatory consensus on health and safety expenditure. Part 1: development of the J-value technique and evaluation of regulators' recommendations 329
Thomas, P.J., Stupples, D.W. and Alghaffar, M.A., The extent of regulatory consensus on health and safety expenditure. Part 2: applying the J-value technique to case studies across industries 337
Thomas, P.J., Stupples, D.W. and Alghaffar, M.A., The life extension achieved by eliminating a prolonged radiation exposure 344
Tian, F.-J. (see Yu, J.) 125
Trably, E. (see Schmidt, J.E.) 253
Trimis, D. (see Al-Hamamre, Z.) 297

U
Uygun, K., Huang, Y. and Lou, H.H., An improved γ-analysis method for process security analysis 92

V
Veitch, B. (see Attwood, D.) 208
Veitch, B. (see Pula, R.) 79

Vidal, M., Rogers, W.J. and Mannan, M.S., Prediction of minimum flash point behaviour for binary mixtures 1
von Issendorff, F. (see Al-Hamamre, Z.) 297

W
Watson, J. (see Schmidt, J.E.) 253
Woinarski, A.Z., Stevens, G.W. and Snape, I., A natural zeolite permeable reactive barrier to treat heavy-metal contaminated waters in Antarctica: kinetic and fixed-bed studies 109
Wu, S., Gu, J., Li, L., Wu, Y. and Gao, J., The reactivity and kinetics of Yanzhou coal chars from elevated pyrolysis temperatures during gasification in steam at 900–1200°C 420
Wu, Y. (see Wu, S.) 420

X
Xie, K.-C. (see Chang, L.-P.) 446
Xie, Z.-L. (see Chang, L.-P.) 446

Y
Yilmaz, D. (See Ozturk, B.) 391
Yu, J., Tian, F.-J., McKenzie, L.J. and Li, C.-Z., Char-supported nano iron catalyst for water–gas-shift reaction: hydrogen production from coal/biomass gasification 125

Z
Zhang, Q. (see Kano, J.) 309

TITLES AND KEYWORDS

A
abrupt changes 27
absorption 391
Absorptive removal of volatile organic compounds from flue gas streams, Ozturk, B. and Yilmaz, D. 391
accident investigation 179
accidents 179
accupational accidents 208
acetate 469
acetylene 222
Achieving risk reduction, effectively, Manuele, F.A. 184
activated carbon 258
activation 258
activity modelling 63
agglomeration 453
agricultural reuse 253
air pollution control 54
anaerobic degraders 253
analysis 101
analytical hierarchy process 200
Application of the generalized likelihood ratio test for detecting changes in a chemical reactor, Chetouani, Y. 371
aquifer storage and recharge 237
Assessing Longford gas plant 1 staffng arrangements, Conlin, H. and O'Meara, J. 10
assessment method 377
atmospheric acidification 143

B
bagasse 429
behaviour change 164
behavioural safety programmes (BSP) 164
Behavioural safety and accident prevention: short-term 'fad' or sustainable 'fix'?, Cox, S. and Jones, B. 164
behavioural safety/human factors 184
binary mixtures 1
biological wastewater treatment 247
biomass 409, 429
brown coal 125
business model 63

C
Can technology eliminate human error?, Foord, A.G. and Gulland, W.G. 171
Can we predict occupational accident frequency?, Attwood, D., Khan, F.I. and Veitch, B. 208
cane trash 429
case histories 174
cellular automata 355
char-supported nano iron catalyst 125
Char-supported nano iron catalyst for water–gas-shift reaction: hydrogen production from coal/biomass gasification, Yu, J., Tian, F.-J., McKenzie, L.J. and Li, C.-Z. 125
characterization 117
Characterization of sugar cane waste biomass derived chars from pressurized gasification, Joyce, J., Dixon, T. and Diniz da Costa, J.C. 429
chemical reactor 371
2-chloropyridine 313
clinoptilolite 109
coagulant 265
coal 222, 446
coal char 420
coherent deflagrations 33
collapse 21
Combiation of thermal treatments and anaerobic digestion to reduce sewage sludge quantity and improve biogas yield, Bougrier, C., Delgenès, J.-P. and Carrère, H. 280
Combustion of low calorific gases from landfills and waste pyrolysis using porous medium burner technology, Al-Hamamre, Z., Diezinger, S., Talukdar, P., von Issendorff, F. and Trimis, D. 297
conceptual design stage 378
consequence modelling 79
construction errors 174
contamination 237
control software errors 174
copper 109
COSMO-RS 1
cost-benefit 329, 337
Cu–Zn-based catalysts 469

D
dechlorination 309
decision threshold 27
design errors 171
Development of a methodology for assessing inherent occupational health hazards, Hassim, M.H. and Edwards, D.W. 378
diagnosis 371
diffusion 355
dimethyl ether 469
dioxin 317
direct coal liquefaction residue 440
discharge coeffcients 40
drying 270

E
economics 247
effective risk amelioration 184
electricity generation 131
elevated temperature pyrolysis 420
energy 429
Enhancing the accuracy of forecasting impact of accidents in chemical process industry by the application of cellular automata technique, Sarkar, C. and Abbasi, S.A. 355
environmental impacts 143
environmentally benign process design 63
error 179
excess sludge reduction 247
Experimental determination of two-phase flow rates of hydrocarbons through restrictions, Richardson, S.M., Saville, G., Fisher, S.A., Meredith, A.J. and Dix, M.J. 40
explosion mitigation 33
explosions 79
Extended Kalman Filter (EKF) 27
Extent of regulatory consensus on health and safety expenditure. Part 1: development of the J-value technique and evaluation of regulators' recommendations, The, Thomas, P.J., Stupples, D.W. and Alghaffar, M.A. 329

Extent of regulatory consensus on health and safety expenditure. Part 2: applying the J-value technique to case studies across industries, The, Thomas, P.J., Stupples, D.W. and Alghaffar, M.A. 337

F
fault detection 27, 371
Fault detection in a chemical reactor by using the standardized innovation, Chetouani, Y. 27
Feasibility of recharging reclaimed wastewater to the coastal aquifers of Perth, Western Australia, Li, Q., Harris, B., Aydogan, C., Ang, M. and Tade, M. 237
fermentation 285
fires 79
flammability 1
flash point 1
flow restrictions 40
fluidized bed 453
2-fluoropyridine 313
flux of energy and matter 355
fly ash 117
fly-ash scrubbing 54
Fly-ash scrubbing in a tapered bubble column scrubber, Bandyopadhyay, A. and Biswas, M.N. 54
frying 270
fuel-derived catalyst 409

G
γ-analysis 92
gasification 125, 429, 446, 453
Gasification of low-rank solid fuels with thermochemical energy recuperation for hydrogen production and power generation, Hayashi, J.-I., Hosokai, S. and Sonoyama, N. 409
Gasification performance of Australian lignites in a pressurized fluidized bed gasifier process development unit under air and oxygen-enriched air blown conditions, Bhattacharya, S.P. 453
Gasification property of direct coal liquefaction residue with steam, Chu, X., Li, W., Li, B. and Chen, H. 440

GLR 371
grid based approach 79
Grid based approach for fire and explosion consequence analysis, A, Pula, R., Khan, F.I., Veitch, B. Amyotte, P.R. 79
groundwater 237

H
hazards 184
HCN 446
health 329, 337, 344
heavy metals 290, 309
heavy oil 440
Helping engineers to analyse and influence the human factors in accidents at work, Lardner, R. and Scaife, R. 179
Hierarchical activity model of chemical process design based on life cycle assessment, A, Sugiyama, H., Hirao, M., Mendivil, R., Fischer, U. and Hungerbühler, K. 63
high reliability organizations 164
homogenous equilibrium model (HEM) 40
hot gas cleaning 125
hot gas desulphurization 461
human behaviour 171
human error 174
human factors 179, 200
human health 143
hydrocarbons 40
hydrogen 409
hydrogen production 125, 285
hydroxyapatite 309
hypothesis test 27

I
IDEF0 63
implosion 21
Implosion of a large crystallizer vessel, Ettouney, R.S. 21
Improved γ-analysis method for process security analysis, An, Uygun, K., Huang, Y. and Lou, H.H. 92
incident investigation 179
incineration 290
Increasing human reliability in the chemical process industry using human factors technique, Gitahi Kariuki, S. and Löwe, K. 200
index 378
indicators 131
inherent occupational health 378
installation errors 171
ion exchange 109

J
J-value 329, 337

K
kinetics 117, 313, 317
kinetics model 420

L
landfills gases 297
large eddy simulation 33
Lessons from human error incidents in process plants, Hendershot, D.C. 174
life cycle assessment (LCA) 63, 270
Life cycle assessment (LCA) applied to the design of an innovative drying process for sewage sludge, Peregrina, C.A., Lecomte, D., Arlabosse, P. and Rudolph, V. 270
life expectancy 344
Life extension achieved by eliminating a prolonged radiation exposure, The, Thomas, P.J., Stupples, D.W. and Alghaffar, M.A. 344
lignite 409, 453
liquefaction catalyst 440
Longford 10
loss of confinement 355
low calorific gas 297
lubricant oil 391

M
magnetite 125
maintenance errors 171
man-machine-system 191
mechanochemical reaction 309
mesophilic 285
Mesophilic biohydrogen production from olive pulp, Koutrouli, E.C., Gavala, H.N., Skiadas, I.V. and Lyberatos, G. 285
methanization 280
methodology 101
methods of working 171
mimimum flash point behaviour 1
mineral 440
mineral matrix stabilization 117
modelling 253
municipal waste 290

N
Natural zeolite permeable reactive barrier to treat heavy-metal contaminated waters in Antarctica: kinetic and fixed-bed studies, A, Woinarski, A.Z., Stevens, G.W. and Snape, I. 109
NH_3 446
nitrate 469
nonlinear dynamics 371
nonlinear system 27
nuclear 344
numerical analysis 237

O
occupational accidents 208
offshore 208
offshore risk modelling 79
oil and gas 208
olive pulp 285
onsite ignition model 79
operator error 191, 200

Optimization of operating conditions for the catalytic reduction of SO_2 produced from regeneration process in hot gas desulphurization, Park, N.-K., Kwon, B.C., Han, G.B., Ryu, S.O., Lee, T.J. and Chang, C.H. 461

P
PET bottle recycling 63
phosphate reaction 117
photochemical (ozone) smog and eutrophication 143
photoelectric online monitor 54
photolysis 313
Photolytic destruction of halogenated pyridines in wastewaters, Stapleton, D.R., Emery, R.J., Mantzavinos, D. and Papadaki, M. 313
plant automation 174
plasma 222
polychlorinated biphenyl 317
porous burner 297
Practical supercritical water reactor for destruction of high concentration polychlorinated biphenyls (PCB) and dioxin waste streams, Kawasaki, S.-I., Oe, T., Anjoh, N., Nakamori, T., Suzuki, A. and Arai, K. 317
precursor 469
Prediction of minimum flash point behaviour for binary mixtures, Vidal, M., Rogers, W.J. and Mannan, M.S. 1
Preparation of adsorbents from sewage sludge by steam activation for industrial emission treatment, Rio, S., Le Coq, L., Faur, C., Lecomte, D. and Le Cloirec, P. 258
process security 92
prolonged release 344
PVC 309
pyrolysis 222, 258
pyrolysis gases 297

Q
quantitative prediction 208
quantitative risk assessment 79

R
radiation 344
Reactivity and kinetics of Yanzhou coal chars from elevated pyrolysis temperatures during gasification in steam at 900–1200°C, The, Wu, S., Gu, J., Li, L., Wu, Y. and Gao, J. 420
Reactivity test of Cu–Zn-based catalysts prepared with various precursors and precipitates for the direct synthesis of DME, A., Kim, E.J., Park, N.-K., Han, G.B., Ryu, S.O. and Lee, T.J. 469
recycled cooking oil 270
red mud 265
Reducing human error by improvement of design and organization, Dalijono, T., Castro, J., Löwe, K. and Löher, H.-J. 191
regulation 329, 337
reliability approach 208
Rethinking the physics of a large-scale vented explosion and its mitigation, Molkov, V.V. and Makarov, D.V. 33
risk 101, 184, 329, 337, 344
Royal Commission 10

S
Safe recycling of sewage sludge on agricultural land—biowaste, Schmidt, J.E, Christensen, N., Batstone, D.J., Trably, E., Lyberatos, G., Stamatelatou, K., Kornaros, M., Metzger, L., Amellal, N., Watson, J., Garcia, K., Ayuso, S. and Patureau, D. 253
safety 164, 171, 179, 329, 337, 344
safety critical behaviour 164
safety culture 179
Safety Decision Hierarchy 184
safety management 164
sewage sludge 258, 270
Simplified method for the estimation of individual risk, A, Franks, A.P. and Maddison, T. 101
simulation 290
sludge 253
sludge reduction 280
Sn–Zr catalyst 461
SO_2 catalytic reduction 461
solubilization 280
specificiation errors 171
Stabilization of minerals by reaction with phosphoric acid: evolution of model compounds, Bournonville, B., Nzihou, A., Sharrock, P. and Depelsenaire, G. 117
staffng arrangements method 10
steam 446
steam gasification 420, 440
steam gasification/reforming 409
stripping 391
Study on the formation of NH_3 and HCN during the gasification of brown coal in steam, Chang, L.-P., Xie, Z.-L. and Xie, K.-C. 446
Study on main factors influencing acetylene formation during coal pyrolysis in arc plasma, Bao, W.R., Chang, L.P. and Lu, Y.K. 222
supercritical water 317
sustainability 131, 164
Sustainability assessment of Australian electricity generation, May, J.R. and Brennan, D.J. 131
sustainability metrics 143
Sustainability metrics for coal power generation in Australia, Diniz da Costa, J.C. and Pagan, R.J. 143
syngas 469
Synthesis of hydroxyapatite with the mechanochemical treatment products of PVC and CaO, Kano, J., Zhang, Q., Saito, F., Baron, M. and Nzihou, A. 309

T
tapered bubble column scrubber 54
tar 409
task analysis 191
Technical and economical evaluation of a thermal, and two oxidative techniques for the reduction of excess sludge production, Paul, E., Camacho, P., Sperandio, M. and Ginestet, P. 247
thermal and oxidative treatments 247
thermal pre-treatment 280
Thermodynamic study of heavy metals behaviour during municipal waste incineration, Ménard, Y., Asthana, A., Patisson, F., Sessiecq, Ph. and Ablitzer, D. 290
thermodynamics 290
transport model 109
treatment plant 265
two-phase releases 40

U
UNIFAC 1
Utilization of bauxite slag for the purification of industrial wastewaters, Orescanin, V., Nad, K., Mikelic, L. Mikulic, N. and Lulic, S. 265

V
vegetable oil 391
vented explosion 33
venting dynamics 21
vessel draining 21
violation 179
VOCs 391
vulnerability state of a cell 355

W
waste base 265
wastewater 265, 317
wastewater treatment 237, 265, 280
water 391
wet scrubbing 54

X
xenobiotic 253

Z
zinc-based sorbent 461

BOOKS REVIEWED

C
Critical temperature for the thermal explosion of chemicals. T. Kotoyori (*Elsevier*, 2005). Reviewed by J.C. Jones 231

D
Dictionary of Energy. C.J. Cleveland and C. Morris (eds) (*Elsevier*, 2005). Reviewed by J.C. Jones 476

F
Fundamentals of renewable energy processes. A. V. da Rosa (*Elsevier Academic Press*, 2005). Reviewed by C.-Z. Li 476

G
Gasification technologies: a primer for engineers and scientists. J. Rezaiyan and N.P. Cheremisinoff (*CRC Press*, 2005). Reviewed by J. Yu 476

W
Waste treatment and disposal. P.T. Williams (*John Wiley & Sons Ltd*, 2005). Reviewed by B. Skelton 399

REGULAR FEATURES

Conference Report 479, 482
Forthcoming Events 77, 155, 232, 403, 488
IChemE Serial Publications News 487
Index 493
List of Referees 490
Obituary 153
Recent Contents 152, 230, 327, 405, 489
Recent Safety and Environmental Legislation 75, 150, 227, 325, 401